



Improve
your shooting
self-confidence

Redring® – the only custom designed optical shotgun sight in the world

Perfectly balanced, with a unique low mount on the rib, Redring® gives you a superior aim. The sight is designed for over and under shotguns and semi-automatic shotguns. Redring® is so well designed that once mounted on the gun, it's ready to shoot. There is no need for sight-in or calibration. The only need is to go out, have fun and enjoy the Redring® experience.



Parallax Free

Redring® allows you to shoot with both eyes open, no matter which eye is dominant. The open eyes principle improves the situational perception and helps the shooter to identify the target faster. Since Redring® is parallax free, what the shooter sees in the ring equals the target image, i.e. when the ring is right in relation to the target, the shot most certainly is a hit. The eye relief doesn't matter.

100% control

A proper grip and a correct sight alignment are essential to all shooters. Imaging the target in a correct way is probably the most crucial of them all. The starting image and the firing image are critical in order to achieve a perfect shot. Redring® will help the shooter get the correct starting image of each shot. It's from this point the shooter starts the swing or movement towards the firing image. The firing image is individually adjusted to each shooter's swing tempo. With Redring® the shooter will have almost 100% control over the whole shooting process from start to hit.

Unique USB function

Redring® can be connected to your computer via a USB interface. You can register your sight using the USB connection so that you can receive information about future upgrades to the sight's software. You can also make advanced settings. Go to www.redringsight.com/usb for instructions and downloading the necessary software.

The experience is built in

Redring® was invented by P-O Östergren. P-O is famous among shooters and hunters all over Scandinavia and beyond. He is an experienced hunter and shooter who has, among other things, worked as shooting instructor for the Swedish and the Norwegian national shooting teams. For the last 25 years P-O has run his own hunting and shooting school. To date, more than 30000 hunters and shooters have taken and passed their final exams under P-O's critical supervision.




1 Patented* spot-metering

The patented spot-metering reads the light level of the target area and momentarily adjusts the intensity of the unique red ring visible inside the sight. No matter the background light, the red ring looks perfect on target.



2 Patented* red ring design

The size of the patented ring on the target equals the shot diameter/burst at 20 meters. When the ring looks right, pull the trigger. It surely improves the hit rate and reduces the risk of injuring the game to a minimum.



3 Low mount with patented* recoil absorption

Redring® is mounted free-floating directly on the rib of the gun. It only takes a couple of minutes and the sight is ready to use. No alterations or changes of the gun are necessary. As the lightweight sight is mounted low on the shotgun rib, it will not have any noticeable effect on the balance of the gun. Redring® comes complete with recoil absorbing mounts for shotguns with a rib width ranging from 5 to 11.5 mm.

*Patent pending




Made in Sweden with no compromise

Redring® is, from the start, a brilliant idea. Today this idea has become a world-class product – designed, developed and manufactured in Sweden without compromise. It incorporates three patents* – the unique spot-metering of light, the recoil absorbing rib mounts and the red ring itself. The ring gives the shooter perfect aim and indicates when it's safe to shoot and when it's not. When the target looks right in relation to the ring, that's when it's time to shoot. The result is greater accuracy, more fun and more reliable hunting. Redring® is everything P-O dreamed it could be. A sure hit.

5 Year warranty

Redring is guaranteed to be free from original manufacturer defects in material and workmanship under normal hunting and shooting use from the date of purchase for five (5) years. If a defect that is covered by our warranty occurs during that period, Redring will repair or replace the product.



Technical data

- Battery:** AAAA 1.5V, Approx 300 h life.
Redring® is automatically turned off after 4 h.
- Weight:** 134 g excluding mounts,
192 g including mounts
- Length:** 134 mm, mounts included
- Width:** 44 mm
- Height:** 45.7 mm, of which 33.6 mm above the rib
- Material:** Anodised aluminium

Redring AB

Address: Tärnvägen 15 ▪ SE-475 40 Hönö ▪ Gothenburg, Sweden
Phone: +46 31 30 10 780 ▪ Fax: +46 31 30 10 720 ▪ www.redringsight.com

Your local distributor/retailer:

